# Package 'scifer'

November 15, 2024

Type Package

Title Scifer: Single-Cell Immunoglobulin Filtering of Sanger Sequences

Version 1.8.0

URL https://github.com/rodrigarc/scifer

BugReports https://github.com/rodrigarc/scifer/issues

Description Have you ever index sorted cells in a 96 or 384-well plate and then sequenced using Sanger sequencing? If so, you probably had some struggles to either check the electropherogram of each cell sequenced manually, or when you tried to identify which cell was sorted where after sequencing the plate. Scifer was developed to solve this issue by performing basic quality control of Sanger sequences and merging flow cytometry data from probed single-cell sorted B cells with sequencing data. scifer can export summary tables, 'fasta' files, electropherograms for visual inspection, and generate reports.

License MIT + file LICENSE

**Encoding** UTF-8

**biocViews** Preprocessing, QualityControl, SangerSeq, Sequencing, Software, FlowCytometry, SingleCell

**Imports** dplyr, rmarkdown, data.table, Biostrings, stats, plyr, knitr, ggplot2, gridExtra, DECIPHER, stringr, sangerseqR, kableExtra, tibble, scales, rlang, flowCore, methods, basilisk, reticulate, here, utils, basilisk.utils

RoxygenNote 7.3.1

VignetteBuilder knitr

**Suggests** BiocBaseUtils, fs, BiocStyle, testthat (>= 3.0.0)

Enhances parallel

Config/testthat/edition 3

StagedInstall no

git\_url https://git.bioconductor.org/packages/scifer

git\_branch RELEASE\_3\_20

git\_last\_commit 50dc6b9

git\_last\_commit\_date 2024-10-29

Repository Bioconductor 3.20

2 df\_to\_fasta

# Date/Publication 2024-11-14 Author Rodrigo Arcoverde Cerveira [aut, cre, cph] (<https://orcid.org/0000-0002-1145-2534>), Marcel Martin [ctb], Matthew James Hinchcliff [ctb], Sebastian Ols [aut, dtc] (<a href="https://orcid.org/0000-0001-9784-7176">https://orcid.org/0000-0001-9784-7176</a>), Karin Loré [dtc, ths, fnd] (<a href="https://orcid.org/0000-0001-7679-9494">https://orcid.org/0000-0001-7679-9494</a>)

Maintainer Rodrigo Arcoverde Cerveira < rodrigo.arcoverdi@gmail.com>

# **Contents**

df t	o fasta	Fasta fil	o cr	oat	ion	fro	m	da	tat	ra	m <i>o</i>	c	oli.	ım	nc	av	d	'n	. 1/	oc	to	rc						
Index																												13
	summarise_quality				•				•	•		•	•	•		•	•	•	•	•		•	•	•	•	•	•	11
	summarise_abi_file																											
	secondary_peaks .																											8
	scifer																											8
	quality_report																											6
	igblast																											5
	fcs_processing																											
	fcs_plot																											
	df_to_fasta																											

#### **Description**

Fasta file creation from dataframe columns and/or vectors.

## Usage

```
df_to_fasta(
  sequence_name,
  sequence_strings,
  file_name = "sequences.fasta",
  output_dir = NULL,
  save\_fasta = TRUE
)
```

#### **Arguments**

Vector containing the names for each sequence, usually a column from a data.frame. sequence\_name eg. df\$sequence\_name sequence\_strings Vector containing the DNA or RNA or AA sequences, usually a column from a data.frame. eg. df\$sequences file\_name Output file name to be saved as a fasta file Output directory for the fasta file. Default is the working directory output\_dir save\_fasta Logical argument, TRUE or FALSE, to indicate if fasta files should be saved. Default is TRUE.

fcs\_plot 3

#### Value

Saves a fasta file in the desired location, and also returns the stringset as BStringSet if saved as an object.

# **Examples**

```
## Example with vectors, default for save_fasta ir TRUE
df_to_fasta(
    sequence_name = c("myseq1", "myseq2"),
    sequence_strings = c("GATCGAT", "ATCGTAG"),
    file_name = "my_sequences.fasta",
    output_dir = "",
    save_fasta = FALSE
)
```

fcs\_plot

Plot flow data from index sorted cells

## **Description**

Plot flow data from index sorted cells

## Usage

```
fcs_plot(processed_fcs_list = NULL)
```

# Arguments

```
processed_fcs_list
```

List generated using 'fcs\_processing()' containing two data.frames

#### Value

Returns a ggplot object with a traditional flow density plot with the sorted cells and the selected thresholds for the two probes used in fcs\_processing().

```
index_sort_data <- fcs_processing(
    folder_path = system.file("/extdata/fcs_index_sorting",
        package = "scifer"
    ),
    compensation = TRUE, plate_wells = 96,
    probe1 = "Pre.F", probe2 = "Post.F",
    posvalue_probe1 = 600, posvalue_probe2 = 400
)

fcs_plot_obj <- fcs_plot(index_sort_data)</pre>
```

4 fcs\_processing

fcs\_processing

Extract index sorting information from flow cytometry data

### **Description**

Extract index sorting information from flow cytometry data

#### Usage

```
fcs_processing(
  folder_path = "test/test_dataset/fcs_files/",
  compensation = TRUE,
  plate_wells = 96,
  probe1 = "Pre.F",
  probe2 = "Post.F",
  posvalue_probe1 = 600,
  posvalue_probe2 = 400
)
```

#### **Arguments**

folder\_path Folder containing all the flow data index filex (.fcs). Files should be named with their sample/plate ID. eg. "E11\_01.fcs"

compensation Logical argument, TRUE or FALSE, to indicate if the index files were compen-

sated or not. If TRUE, it will apply its compensation prior assigning specificity

plate\_wells Type of plate used for single-cell sorting. eg. "96" or "384"

probe1 Name of the first channel used for the probe or the custom name assigned to

the channel in the index file. eg. "FSC.A", "FSC.H", "SSC.A", "DsRed.A",

"PE.Cy5\_5.A", "PE.Cy7.A", "BV650.A", "BV711.A", "Alexa.Fluor.700.A" "APC.Cy7.A", "PerCP.Cy

Name of the second channel used for the probe or the custom name assigned

to the channel in the index file. eg. "FSC.A", "FSC.H", "SSC.A", "DsRed.A", "PE.Cy5\_5.A", "PE.Cy7.A", "BV650.A", "BV711.A", "Alexa.Fluor.700.A" "APC.Cy7.A", "PerCP.Cy

posvalue\_probe1

Threshold used for fluorescence intensities to be considered as positive for the first probe

posvalue\_probe2

Threshold used for fluorescence intensities to be considered as positive for the second probe

# Value

If saved as an object, it returns a table containing all the processed flow cytometry index files, with their fluorescence intensities for each channel and well position.

igblast 5

```
compensation = TRUE, plate_wells = 96,
probe1 = "Pre.F", probe2 = "Post.F",
posvalue_probe1 = 600, posvalue_probe2 = 400)
```

igblast

Run IgDiscover for IgBlast using basilisk, which enables the python environment for Igblast

## **Description**

Run IgDiscover for IgBlast using basilisk, which enables the python environment for Igblast

# Usage

```
igblast(database = "path/to/folder", fasta = "path/to/file", threads = 1)
```

## **Arguments**

database Vector containing the database for VDJ sequences

Fasta Vector containing the sequences, usually a column from a data.frame. eg. df\$sequences

threads Variable containing the number of cores when computing in parallel, default threads = 1

## Value

Creates a data frame with the Igblast analysis where each row is the tested sequence with columns containing the results for each sequence

```
## Example with test sequences
## Not run:
igblast(
    database = system.file("/extdata/test_fasta/KIMDB_rm", package = "scifer"),
    fasta = system.file("/extdata/test_fasta/test_igblast.txt", package = "scifer"),
    threads = 1
)
## End(Not run)
```

6 quality\_report

quality\_report

Generate general and individualized reports

#### **Description**

This function uses the other functions already described to create a HTML report based on sequencing quality. Besides the HTML reports, it also creates fasta files with all the sequences and individualized sequences, in addition to a csv file with the quality scores and sequences considered as good quality.

## Usage

```
quality_report(
  folder_sequences = "path/to/sanger_sequences",
  outputfile = "QC_report.html",
  output_dir = "test/",
  processors = NULL,
  folder_path_fcs = NULL,
  plot_chromatogram = FALSE,
  raw_length = 343,
  trim_start = 65,
  trim_finish = 400,
  trimmed_mean_quality = 30,
  compensation = TRUE,
  plate_wells = "96",
  probe1 = "Pre.F",
  probe2 = "Post.F",
  posvalue_probe1 = 600,
  posvalue_probe2 = 400,
  cdr3\_start = 100,
  cdr3\_end = 150
)
```

#### **Arguments**

folder\_sequences

Full file directory for searching all ab1 files in a recursive search method. It includes all files in subfolders

outputfile Output file name for the report generation

output\_dir Output directory for all the different output files that are generated during the

report

processors Number of processors to use, you can set to NULL to detect automatically all available processors

folder\_path\_fcs

Full file directory for searching all flow cytometry index files, files with .fcs extensions, in a recursive search method

plot\_chromatogram

Logical argument, TRUE or FALSE, to indicate if chromatograms should be plotted or not. Default is FALSE

raw\_length Minimum sequence length for filtering. Default is 343 for B cell receptors

quality\_report 7

trim\_start Starting position where the sequence should start to have a good base call accuracy. Default is 65 for B cell receptors trim\_finish Last position where the sequence should have a good base call accuracy. Default is 400 for B cell receptors trimmed\_mean\_quality Minimum Phred quality score expected for an average sequence. Default is 30, which means average of 99.9% base call accuracy Logical argument, TRUE or FALSE, to indicate if the index files were compencompensation sated or not. If TRUE, it will apply its compensation prior assigning specificities Type of plate used for single-cell sorting. eg. "96" or "384" plate\_wells Name of the first channel used for the probe or the custom name assigned to probe1 the channel in the index file. eg. "FSC.A", "FSC.H", "SSC.A", "DsRed.A", "PE.Cy5\_5.A", "PE.Cy7.A", "BV650.A", "BV711.A", "Alexa.Fluor.700.A" "APC.Cy7.A", "PerCP.Cy Name of the second channel used for the probe or the custom name assigned probe2 to the channel in the index file. eg. "FSC.A", "FSC.H", "SSC.A", "DsRed.A", "PE.Cy5\_5.A", "PE.Cy7.A", "BV650.A", "BV711.A", "Alexa.Fluor.700.A" "APC.Cy7.A", "PerCP.Cy posvalue\_probe1 Threshold used for fluorescence intensities to be considered as positive for the first probe posvalue\_probe2 Threshold used for fluorescence intensities to be considered as positive for the second probe cdr3\_start Expected CDR3 starting position, that depends on your primer set. Default is position 100 Expected CDR3 end position, that depends on your primer set. Default is posicdr3\_end tion 150

## Value

Saves HTML reports, fasta files, csv files

8 secondary\_peaks

scifer	Scifer: Single-Cell Immunoglobulin Filtering of Sanger Sequences

# Description

Integrating index single-cell sorted files with Sanger sequencing per plates, combining single-cell sorted data (FACS) and specificity with Sanger sequencing information.

## Author(s)

Rodrigo Arcoverde Cerveira < rodrigo.arcoverdi@gmail.com>

secondary\_peaks Check for secondary peaks in a sangerseq object

# Description

This function finds and reports secondary peaks in a sangerseq object. It returns a table of secondary peaks, and optionally saves an annotated chromatogram and a csv file of the peak locations.

# Usage

```
secondary_peaks(
    s,
    ratio = 0.33,
    output.folder = NA,
    file.prefix = "seq",
    processors = NULL
)
```

# Arguments

s	a sangerseq s4 object from the sangerseqR package
ratio	Ratio of the height of a secondary peak to a primary peak. Secondary peaks higher than this ratio are annotated. Those below the ratio are not.
output.folder	If output.folder is NA (the default) no files are written. If a valid folder is provided, two files are written to that folder: a .csv file of the secondary peaks (see description below) and a .pdf file of the chromatogram.
file.prefix	If output folder is specified, this is the prefix which will be appended to the .csv and the .pdf file. The default is "seq".
processors	Number of processors to use, or NULL (the default) for all available processors

summarise\_abi\_file 9

#### Value

A list with two elements:

1. secondary.peaks: a data frame with one row per secondary peak above the ratio, and three columns: "position" is the position of the secondary peak relative to the primary sequence; "primary.basecall" is the primary base call; "secondary.basecall" is the secondary basecall.

2. read: the input sangerseq s4 object after having the makeBaseCalls() function from sangerseqR applied to it. This re-calls the primary and secondary bases in the sequence, and resets a lot of the internal data.

## **Examples**

summarise\_abi\_file

Create a summary of a single ABI sequencing file

## **Description**

Create a summary of a single ABI sequencing file

# Usage

```
summarise_abi_file(
  seq.abif,
  trim.cutoff = 1e-04,
  secondary.peak.ratio = 0.33,
  output.folder = NA,
  prefix = "seq",
  processors = NULL
)
```

## **Arguments**

seq.abif

an abif.seq s4 object from the sangerseqR package

trim.cutoff

the cutoff at which you consider a base to be bad. This works on a logarithmic scale, such that if you want to consider a score of 10 as bad, you set cutoff to 0.1; for 20 set it at 0.01; for 30 set it at 0.001; for 40 set it at 0.0001; and so on. Contiguous runs of bases below this quality will be removed from the start and end of the sequence. Default is 0.0001.

10 summarise\_abi\_file

secondary.peak.ratio

the ratio of the height of a secondary peak to a primary peak. Secondary peaks

higher than this ratio are annotated. Those below the ratio are not.

output.folder If output.folder is NA (the default) no files are written. If a valid folder is pro-

vided, two files are written to that folder: a .csv file of the secondary peaks (see

description below) and a .pdf file of the chromatogram.

prefix If output.folder is specified, this is the prefix which will be appended to the .csv

and the .pdf file. The default is "seq".

processors Number of processors to use, or NULL (the default) for all available processors

#### Value

A numeric vector including:

1. raw.length: the length of the untrimmed sequence, note that this is the sequence after conversion to a sangerseq object, and then the recalling the bases with MakeBaseCalls from the sangerseqR package

- 2. trimmed.length: the length of the trimmed sequence, after trimming using trim.mott from this package and the parameter supplied to this function
- 3. trim.start: the start position of the good sequence, see trim.mott for more details
- 4. trim.finish: the finish position of the good sequence, see trim.mott for more details
- 5. raw.secondary.peaks: the number of secondary peaks in the raw sequence, called with the secondary.peaks function from this package and the parameters supplied to this function
- 6. trimmed.secondary.peaks: the number of secondary peaks in the trimmed sequence, called with the secondary.peaks function from this package and the parameters supplied to this function
- 7. raw.mean.quality: the mean quality score of the raw sequence
- 8. trimmed.mean.quality: the mean quality score of the trimmed sequence
- 9. raw.min.quality: the minimum quality score of the raw sequence
- 10. trimmed.min.quality: the minimum quality score of the trimmed sequence

summarise\_quality 11

```
## Summarise using summarise_abi_file()
summarise_abi_file(abi_seq)
```

summarise\_quality

Generate a summary table containing quality measurements from sanger sequencing abi files

## **Description**

Generate a summary table containing quality measurements from sanger sequencing abi files

## Usage

```
summarise_quality(
  folder_sequences = "input_folder",
  trim.cutoff = 0.01,
  secondary.peak.ratio = 0.33,
  processors = NULL
)
```

#### **Arguments**

folder\_sequences

Folder containing all the sanger sequencing abi/ab1 files on subfolders. Each subfolder should have have a identifiable name, matching name with fcs data. eg. "E18\_01", "E23\_06". The first characters of the ab1 file name should be the well location. eg. "A1-sequence1.ab1", "F8\_sequence-igg.ab1"

trim.cutoff

Cutoff at which you consider a base to be bad. This works on a logarithmic scale, such that if you want to consider a score of 10 as bad, you set cutoff to 0.1; for 20 set it at 0.01; for 30 set it at 0.001; for 40 set it at 0.0001; and so on. Contiguous runs of bases below this quality will be removed from the start and end of the sequence. Given the high quality reads expected of most modern ABI sequencers, the defualt is 0.0001.

secondary.peak.ratio

Ratio of the height of a secondary peak to a primary peak. Secondary peaks higher than this ratio are annotated, while those below the ratio are not.

processors

Number of processors to use, or NULL (the default) for all available processors

#### Value

List containing two items: \* summaries: contains all the summary results from the processed abi files, \* quality\_scores: contains all the Phred quality score for each position.

12 summarise\_quality

```
trim.cutoff = 0.01,
processor = 1
)
```

# **Index**

```
* \, AIRR \,
     scifer, 8
* BCR
     scifer, 8
* QC
     {\tt scifer}, \textcolor{red}{8}
* TCR
     scifer, 8
* \  \, \textbf{flowcytometry}
     \texttt{scifer}, \textcolor{red}{8}
* sanger
     scifer, 8
* sequencing
     scifer, 8
df_{to}fasta, 2
fcs_plot, 3
fcs_processing, 4
igblast, 5
\verb"quality_report", 6
scifer, 8
secondary\_peaks, 8
\verb|summarise_abi_file|, 9
\verb|summarise_quality|, 11
```