

# Package ‘HighlyReplicatedRNASeq’

November 14, 2024

**Type** Package

**Title** Collection of Bulk RNA-Seq Experiments With Many Replicates

**Version** 1.18.0

**Description** Gene-level count matrix data for bulk RNA-seq dataset with many replicates. The data are provided as easy to use SummarizedExperiment objects. The source data that is made accessible through this package comes from <https://github.com/bartongroup/profDGE48>.

**URL** <https://github.com/const-ae/HighlyReplicatedRNASeq>

**BugReports** <https://github.com/const-ae/HighlyReplicatedRNASeq/issues>

**License** MIT + file LICENSE

**Encoding** UTF-8

**Depends** SummarizedExperiment, ExperimentHub

**Imports** S4Vectors

**Suggests** BiocStyle, BiocFileCache, knitr, rmarkdown

**biocViews** ExperimentHub, ExperimentData, ExpressionData, SequencingData, RNASeqData

**RoxygenNote** 7.1.0

**Roxygen** list(markdown = TRUE)

**VignetteBuilder** knitr

**git\_url** <https://git.bioconductor.org/packages/HighlyReplicatedRNASeq>

**git\_branch** RELEASE\_3\_20

**git\_last\_commit** d8922a9

**git\_last\_commit\_date** 2024-10-29

**Repository** Bioconductor 3.20

**Date/Publication** 2024-11-14

**Author** Constantin Ahlmann-Eltze [aut, cre]  
(<https://orcid.org/0000-0002-3762-068X>)

**Maintainer** Constantin Ahlmann-Eltze <[artjom31415@gmail.com](mailto:artjom31415@gmail.com)>

## Contents

HighlyReplicatedRNASeq . . . . .	2
Schurch16 . . . . .	2

**Index****4**

---

`HighlyReplicatedRNASeq`*HighlyReplicatedRNASeq: Collection of Bulk RNA-Seq Experiments With Many Replicates*

---

**Description**

The `HighlyReplicatedRNASeq` package provides access to the count matrix results from studies with many replicates. These datasets can be valuable for benchmarking tools designed to handle RNA-seq data.

**Details**

Available datasets:

- Schurch et al. (2016): 86 samples of *S. cerevisiae* in two conditions
  - [Schurch16\(\)](#) / [Schurch16\\_metadata\(\)](#)

At the moment, this package contains only one dataset, but more datasets can be added in the future.

---

`Schurch16`*Get the RNA-seq counts from Schurch et al. (2016)*

---

**Description**

The data contains bulk RNA-seq count on 86 samples in two conditions. The first condition is wild type *S. cerevisiae* (taxonomic id: 1247190). The second condition is the same strain with a `snf2` knockout.

**Usage**

```
Schurch16(hub = ExperimentHub())
```

```
Schurch16_metadata(hub = ExperimentHub())
```

**Arguments**

`hub` an [ExperimentHub](#) object that is used to load the resource "EH3315" and "EH3316".  
Default: [ExperimentHub\(\)](#)

**Details**

Schurch et al. originally generated this dataset to benchmark RNA-seq differential expression tools and find out how many replicates are necessary to detect most differentially expressed genes. The data that is returned by this package comes from the [GitHub repository](#) that accompanied the study.

**Value**

Schurch16() returns a [SummarizedExperiment](#) with 7126 genes and 86 samples.

Schurch16\_metadata() returns a [ExperimentHub](#) object with the metadata on the Schurch16 dataset.

**Author(s)**

Constantin Ahlmann-Eltze

**References**

Schurch, N. J., Schofield, P., Gierliński, M., Cole, C., Sherstnev, A., Singh, V., ... Barton, G. J. (2016). How many biological replicates are needed in an RNA-seq experiment and which differential expression tool should you use? *RNA*, 22(6), 839–851. <https://doi.org/10.1261/rna.053959.115>

**Examples**

```
Schurch16_metadata()

se <- Church16()

dim(se)
colData(se)
summary(c(assay(se, "counts")))
```

# Index

ExperimentHub, [2](#), [3](#)

ExperimentHub(), [2](#)

HighlyReplicatedRNASeq, [2](#)

Schurch16, [2](#)

Schurch16(), [2](#)

Schurch16\_metadata (Schurch16), [2](#)

Schurch16\_metadata(), [2](#)

SummarizedExperiment, [3](#)